OHSE Management Plan

OHSE Management Plan

PROJECT NAME	TBA NSW
ORGANISATION NAME	Outlook Projects Australia Pty Ltd
ADDRESS	ТВА
PHONE	0419 017374
FAX	N/A
EMAIL	info@outlookprojects.com.au
ACN/ABN	58 1160 895 634

Contents

OHSE 001-DOCUMENT CONTROL
OHSE 002-PROJECT DETAILS AND INTRODUCTION
OHSE 003-OCCUPATIONAL HEALTH SAFETY AND ENVIRONMENT POLICY
OHSE 004–HAZARD IDENTIFICATION, RISK ASSESSMENT AND CONTROL
OHSE 005-HAZARD CATEGORIES
OHSE 006-RISK MATRIX
OHSE 007–SAFE WORK METHOD STATEMENT
OHSE 008-OBJECTIVES AND TARGETS
OHSE 009-PERSONAL PROTECTIVE EQUIPMENT (PPE)
OHSE 010-ROLES AND RESPONSIBILITIES
OHSE 011-TRAINING AND COMPETENCY REGISTER
OHSE 012-CONSULTATION
OHSE 013-TOOLBOX / PRE-START TALKS
OHSE 014-WORKPLACE INSPECTION CHECKLIST
OHSE 015–PLANT AND EQUIPMENT
OHSE 016–PLANT AND EQUIPMENT REGISTER
OHSE 017–PLANT AND EQUIPMENT PRE-START CHECKLIST
OHSE 018–PLANT AND EQUIPMENT REGULAR CHECKLIST
OHSE 019-HAZARDOUS SUBSTANCES / DANGEROUS GOODS
OHSE 020-HAZARDOUS SUBSTANCES / DANGEROUS GOOD REGISTER
OHSE 021-ELECTRICAL EQUIPMENT
OHSE 022-ELECTRICAL EQUIPMENT REGISTER
OHSE 023-HAZARD REPORTING
OHSE 024–HAZARD REPORT
OHSE 025-INJURY AND INCIDENT INVESTIGATION
OHSE 026-REGISTER OF INJURIES
OHSE 027-INCIDENT INVESTIGATION REPORT
OHSE 028–OHSE MANAGEMENT PLAN CHECKLIST
OHSE 029–INJURY MANAGEMENT AND RETURN-TO-WORK

OHSE 001–Document control

Outlook Projects Australia

- Maintains an up to date version of this OHSE Management Plan.
- Retains all obsolete pages of the Plan for a <u>minimum</u> of 7 years to demonstrate a record of OHSE management practices.
- Provides a copy of the current version
- Reviews the Plan on a 30 day basis
- Ensures all amendments to the Plan are recorded in the Register of Amendments.

	Register of Amendments					
Date	Date Page/Form No. Version No.		Description of Amendments	Prepared by	Approved by	

	Distribution Register					
Version No.	Date of Issue	Name of Recipient	Position / Organisation			

OHSE 002–Project details and introduction

Organisation Details		
Business/Trading name	Outlook Projects Australia	
ACN/ABN	58160895634	
Contract Job Number	ТВА	
Director	John Lam	
Address	PO BOX 7082 Wilberforce 2756	
Phone	0419017374	
Fax	N/A	
Mobile	0419017374	
Email	info@outlookprojects.com.au	

The following table sets out a brief description of the work to be carried out by Outlook Projects Australia during the course of the Construction contract/agreed works on the TBA project managed by Outlook Projects Australia

Date	Description of Works	No of Employees (inc subcontractors)
13.03.201	Renovation to TBA	1

The table below identifies the designated person on site responsible for the management of occupational health safety and environment.

Name	Contact Details
John lam	john@outlookprojects.com.au

Should Outlook Projects Australia intend to subcontract all or part of the works. If engaged, the sub-subcontractors intended to be used on this site are:

Business	Contact Details	
Outlook Projects Australia	john@outlookprojects.com.au	

Outlook Projects Australia will ensure that the above mentioned subcontractors provide a SWMS for their specialised work, and that Outlook Projects Australia shall review the SWMS, and append the SWMS to this Plan. If they are an employer Outlook Projects Australia will also ensure that evidence relating to a current workers compensation policy is provided.

Site Manager_

Date

13.03.2018

OHSE 003–Occupational health safety and environment policy

At Outlook Projects Australia a commitment to occupational health, safety and the environment is part of the business.

This is achieved through:

- Complying with statutory requirements, codes, standards and guidelines;
- Setting up objectives and targets with the aim of eliminating work related incidents in relation to our activities, products and services; and
- Defining roles and responsibilities for occupational health, safety and environment.

Strategies will include:

- Ensuring occupational health, safety and environment management principles are included in all organisational planning activities;
- Providing ongoing education and training to all of our employees;
- Consulting with employees and other parties to improve decision-making on occupational health, safety and environment matters;
- Ensuring incidents are investigated and lessons are learnt within the organisation;
- Distributing occupational health, safety and environment information, including this policy, to all employees and interested parties;
- Providing enough resources to ensure occupational health, safety and environment is a central part of the organisation; and
- Ensuring effective injury management and rehabilitation is provided to all employees.

Manager	Date	

OHSE 004–Hazard identification, risk assessment and control

Outlook Projects Australia will not commence construction work at a place of work unless:

The principal contractor has provided Outlook Projects Australia:

- with a copy of the relevant parts of its workplace OHSE Management Plan (or equivalent);
- Outlook Projects Australia has undertaken an assessment of the risks associated with the work
 activities and has provided to the principal contractor a written Safe Work Method Statement
 (SWMS); and
- Outlook Projects Australia has provided induction training to all employees.

Outlook Projects Australia maintains and updates the SWMS, and provides the updated SWMS to the principal contractor.

Outlook Projects Australia dentifies the potential hazards of the proposed work activities, assess the risks involved and develops controls measures to eliminate, or minimise, the risks. The risk management process is carried out in consultation with employees.

IDENTIFY HAZARDS:

Outlook Projects Australia break downs specific work activities into job steps to assist in identifying all potential hazards. These work activities are detailed in a SWMS. The SWMS is a list of job steps and other work related practices.

For each of the work activities and associated job steps identified in the SWMS, Outlook Projects Australia has identified potential hazards and their risks.

To assist in identifying hazards and risks, Outlook Projects Australia has considered the use of resources such as codes and standards, industry publications (i.e. safety alerts; hazard profiles for specific trade groups), workplace experience and consultation (i.e. Toolbox Talks).

ASSESS RISKS:

Outlook Projects Australia has identified a risk class/ranking for potential workplace hazards by referring to the categories ranging from high to low in a Risk Matrix.

The Risk Matrix is used to determine the level of danger or seriousness (i.e. the consequence) of the risk, how likely it is that this risk will occur (i.e. likelihood/probability) and therefore how detailed control measures will need to be to eliminate or minimise the risk.

OHSE 005–Hazard categories

The following is a list of the hazards Outlook Projects Australia has identified arising from the contracted/agreed work activities. These hazards are addressed within the Safe Work Method Statement(s).

Occu	Occupational Health and Safety				
	Access & egress		Confined/enclosed spaces		
	Coring/chasing		Dangerous Goods (Oxy/other)		
	Demolition/dismantling		Electricity (power tools/other)		
	Explosive/pneumatic power tools		Fatigue (shift work/hours of work)		
	Formwork erection/dismantling		Fire/explosion		
	Fumes/gas		Hazardous substances		
	Flying/falling objects/debris		Height & falls		
	Hazardous material		Hot/cold working environment		
	Hot work (cutting/welding/grinding)		Lasers		
	Lighting		Manual handling (lifting or twisting)		
	Machine/equipment guarding		Moving plant/traffic		
	Materials handling (crane/forklift/other)		Plant & equipment operation		
	Noise (hearing)		Structural alterations/support		
	Public (pedestrians/other)		Services (underground/overhead)		
	Subsidence		Ultra Violet Light (sunlight)		
	Trenching/excavation		Other		
	Work near/over water		Other		
	Young workers/unskilled labour		Other		
	Biological/bacteria		Other		

Envir	onment	
	Air quality (dust/emissions)	Bulk excavation/spoil
	Concrete or paint wastes	Contaminated soil/water
	Dewatering/pump out	Habitats (protected flora/fauna)
	Heritage & Archaeology	Noise or vibration
	Noisy work (neighbourhood)	Spills & response
	Slurry or other discharges	Traffic & parking
	Waste hazardous (paint sludge, synthetic min fibre, asbestos/other	Dangerous Goods/Hazardous Substances (use/storage/spills)
	Stormwater/sediment control	Other
	Waste disposal	Other

OHSE 006–Risk matrix

Outlook Projects Australia has identified a risk class/ranking for potential workplace hazards by referring to the categories in the matrix below.

Step 1: The organisation identifies the consequence for each potential risk by using the table below. Note: If a combination of harm, loss or damage could occur the worst case consequence is selected.

Level	Description of Consequence
High (1) (High level of harm)	Potential death, permanent disability or major structural failure/damage. Off- site environmental discharge/release not contained and significant long-term environmental harm.
Medium (2) (Medium level of harm)	Potential temporary disability or minor structural failure/damage. On-site environmental discharge/release contained, minor remediation required, short-term environmental harm.
Low (3) (Low level of harm)	Incident that has the potential to cause persons to require first aid. On-site environmental discharge/release immediately contained, minor level clean up with no short-term environmental harm.

Step 2: Using the following table, the organisation determines how likely it is that the risk will occur and result in the consequence identified above.

Level Likelihood / Probability		
Likely	Could happen frequently	
Moderate	Could happen occasionally	
Unlikely	May occur only in exceptional circumstances.	

Step 3: Using the risk matrix below, the organisation identifies the risk class/ranking.

Consequence	Likelihood / Probability					
	Likely	Moderate	Unlikely			
High (1)	1	1	2			
Medium (2)	1	2	3			
Low (3)	2	3	3			

Class/Ranking	Description / Requirements
1	Will require detailed pre-planning. Actions will be recorded on a Safe Work Method Statement
2	Will require operational planning. Actions will be recorded on a Safe Work Method Statement
3	Will require localised control measures

OHSE 007–Safe Work Method Statement (SWMS)

Organisation Details				
Organisation Name:	Outlook Projects Australia Contact Name:: John Lam			
ACN/ABN	58160895634	Contact Position:	Director	
Address:	PO Box 7082 Wilberforce NSW 2756	Contract Phone No:	0419017374	
Project Details:		÷	-	
Project:	ТВА		Area:TBA	
Activity:	Renovation works	Reviewed by: Jo Position: Directo	hn Lam r Date:	
Resources / Trades Involved:				
Equipment Used:				
Maintenance checks:				
Materials Used:				
Occupational Health Safety or Environmental Legislation:		Codes or Standards applicable to the works:		

Level			Likelihood / Probability			
	Description of Consequence or Impact	Consequence	L Likely	M Moderate	U Unlikely	
H (1) (High level of harm)	Potential death, permanent disability or major structural failure/damage. Off-site environmental discharge/release not contained and significant long-term environmental harm.	H (1) <i>(High)</i>	1	1	2	
M (2) (Medium level of harm)	Potential temporary disability or minor structural failure/damage. On-site environmental discharge/release contained, minor remediation required, short-term environmental harm.	M (2) <i>(Medium)</i>	1	2	3	
L (3) (Low level of harm)	Incident that has the potential to cause persons to require first aid. On-site environmental discharge/release immediately contained, minor level clean up with no short-term environmental harm.	L (3) (Low)	2	3	3	
Level	Likelihood / Probability					
Likely	Could happen frequently					
Moderate	Could happen occasionally					
Unlikely	May occur only in exceptional circumstances					

Item	Job steps	Hazards	Risk Class/ Ranking	Controls	Name of persons responsible for work

Qualifications and experience required to complete the task	Personnel, Duties and Responsibilities (Supervisory staff and others)	Training Required to Complete Work
Engineering Details / Certificates / WorkCover Approvals		

This SWMS has been developed through consultation with our employees and has been read, understood and signed by all employees undertaking the works:					
Print Names:	Signatures:	Dates:			

Review No	01	02	03	04	05	06	07	08	09
Initial:									
Date:									

OHSE 008–Objectives and targets

Outlook Projects Australia has established the following objectives and targets to support and maintain the effectiveness of the OHSE Management Plan.

Planning

Objective:

Employees are provided with regular and up-to-date information on OHSE for the duration of the contracted/agreed works.

Target:

Review the content of the OHSE Management Plan at maximum 3 month intervals (or more frequent as required) to maintain the currency of information provided to employees and others.

Risk Management

Objective:

Employees are familiar with hazards and risks associated with the contracted/agreed works that are assessed as a medium to high risk.

Target:

Safe Work Method Statement(s) or the equivalent list as a minimum those hazards and risks associated with the contracted/agreed works that are assessed as a medium to high risk.

Consultation

Objective:

Employees are regularly consulted on matters that affect OHSE.

Target:

Toolbox/Pre-start or other agreed methods of consultation are undertaken on a regularly basis.

Training

Objective:

Employees are provided with training to enable work practices to be undertaken that are safe and minimise risk to the environment.

Target:

All employees involved with the contracted/agreed work have undertaken as a minimum the three levels of induction training, i.e. general industry (safety awareness) training, site specific training and work activity training as noted in the Safe Work Method Statement(s) specific to the contracted/agreed works.

Other

Objective:

Target:

OHSE 009–Personal Protective Equipment (PPE)


Outlook Projects Australia maintains the following register of all PPE supplied to employees where such PPE is specified as a control measure in the Safe Work Method Statement. Outlook Projects Australia ensures all items of PPE are manufactured, used and maintained in accordance with the relevant Standard. Proof of Standard compliance will be provided, e.g. labelling.

Each employee has been instructed and trained in the correct use of the PPE issued.

			Signature of recipient
Employee name	Date of Issue/ replacement	Item supplied	I have received the listed PPE with appropriate instruction/training in its correct use.

OHSE 010–Roles and responsibilities

Outlook Projects Australia provides the following key trained and competent personnel on site.



ROLES AND RESPONSIBILITIES DEFINED

The roles and responsibilities of employees within Outlook Projects Australia regarding OHSE are below.

WORKS MANAGER

John Lam is responsible for OHSE at the workplace and duties include:

- implementing the OHSE Management Plan;
- using the Hierarchy of Controls in all design, fabrication and construct activities to minimise OHSE risks;
- communicating with the principal contractor to reduce risks;
- being a part of the planning and design stages of trade activities;
- deciding when training on OHSE is required;
- leading by example and promoting sound OHSE practices at every opportunity;
- ensuring safe equipment and plant is provided and maintained;
- reviewing OHSE reports and inspections, and following up on recommendations;
- coordinating incident investigations and reporting to the controller of the workplace and relevant authorities, as required;
- coordinating OHSE meetings and programs;
- monitoring compliance with the OHSE Management Plan, including Safe Work Method Statement; and
- assisting injured employees to return to their pre-injury duties as soon as practicable after a workrelated injury.

Signed by:	Date:	/ /	
e.gea	 	· ·	-

WORKS SUPERVISOR

John Lam is responsible for OHSE at the workplace and duties include:

- implementing the OHSE Management Plan;
- observing all OHSE rules and regulations;
- making sure that work activities are carried out in a safe and environmentally sound manner;
- planning to do all work safely including any interface with other work activities;
- providing advice and assistance on OHSE matters to employees;
- being part of the planning and design stages of trade activities;
- deciding when training on OHSE is required;
- actioning OHSE reports and carrying out workplace inspections;
- setting up OHSE meetings and programs;
- helping to prepare Safe Work Method Statements for the organisation's work activities;
- investigating hazard reports and ensuring that they are completed and corrective actions undertaken;
- carrying out project inductions, Toolbox Talks and team meetings;
- being a part of incident investigations;
- leading by example and promoting sound OHSE practices at every opportunity;
- undertaking inspection of the contracted or planned works to ensure that OHSE control measures are implemented and effective; and
- other OHSE duties as directed by the Works Manager.

Signed by: _____ Date: ___ / ___ / ____

OCCUPATIONAL HEALTH AND SAFETY ENVIRONMENT COORDINATOR

John Lam is responsible for OHSE at the workplace and duties include:

- communicating OHSE performance to the Works Manager;
- assisting the Works Supervisor to develop and implement the OHSE Plan; •
- providing advice on OHSE to all employees; •
- being a part of planning and design in work activities;
- determining OHSE legal requirements for the work activity or trade;
- making sure OHSE work procedures are followed;
- coordinating injury management / return to work for injured employees;
- reviewing OHSE reports and inspections;
- setting up and being a part of OHSE meetings and programs; •
- setting up Toolbox Talks on a regular basis;
- insisting on sound OHSE practices at all times;
- setting up and conducting OHSE inductions; •
- conducting incident investigations; •
- communicating with the Works Manager/Works Supervisor on OHSE matters; •
- making sure records are kept under these guidelines;
- being part of inspections and ensuring recommendations are completed; and •
- other OHSE duties as directed by the Works Manager.

Signed by: Date: / /

INJURY MANAGEMENT COORDINATOR

John lam is responsible for the management of injuries at the workplace and duties include:

- assisting injured employees to return to their pre-injury duties as soon as practicable after a workrelated injury;
- ensuring that, where appropriate, the injured employee is given access to occupational rehabilitation services;
- · liaising with any parties involved in the occupational rehabilitation of, or provision of medical services, to the injured employee;
- monitoring the progress of the injured employee's capacity to work;
- taking steps to prevent recurrence or aggravation of the relevant injury upon the injured employee's • return to work; and
- providing assistance to meet all legal requirements regarding injury management and return to work.

EMPLOYEES

Are responsible for the following:

- working in a safe manner without risk to themselves, others or the environment; •
- complying with the OHSE Management Plan including all Safe Work Method Statements; •
- reporting all incidents to the Works Supervisor; •
- reporting all injuries and illnesses to the designated First Aid Officer; •
- reporting any OHSE hazards to the Works Supervisor; •
- providing suggestion, through agreed consultation methods, on how to improve OHSE issues; •
- seeking assistance if unsure of OHSE rules; •
- reporting any faulty tools or plant to the Works Supervisor; •
- complying with site rules;
- correctly using all personal protective equipment; and •
- complying with emergency and evacuation procedures. •

Signed by: _____ Date: __ / __ / ___

OHSE 011–Training and competency register

Having regard to the hazards and risks associated with the work activity, Outlook Projects Australia has assured that all employees are trained and competent to perform all tasks in a way that is safe and does not adversely impact on themselves, others or the environment.

The following register contains details of the skills and competencies of the organisation's employees.

Employee Name	Work on this project	Skills / Competencies / Experience (e.g. tickets / qualifications)	Card No. / Reg. No.	Date of Course	Duration

OHSE 012–Consultation

Outlook Projects Australia promotes the active participation of all employees in OHSE decisions.

Employees are consulted and given opportunity, encouragement and training to be proactively involved in OHSE matters affecting the organisation and their work activities.

Consultation occurs in reference to, but not limited to, the following subjects / topics:

- hazard identification and risk assessment processes;
- control measures for the management of hazards and risks;
- changes to the organisation's policies and procedures or work routines which may affect OHSE;
- make up of and representation on relevant committees; and
- election of OHSE and employee representatives.

All workplace consultation is recorded and occurs on a monthly basis.

OHSE 013–Toolbox/pre-start talks

All Toolbox / Pre-start Talks undertaken on behalf of Outlook Projects Australia are recorded on this form and signed by participants.

All corrective actions noted on this form are implemented and signed by the nominated person. It is the responsibility of the Works Supervisor to ensure that all corrective actions are completed and reviewed for effectiveness.

Toolbox / Pre-start Talks				
Workplace:	ТВА			
Subject of Talk:				
Presented by:	John Lam			
Duration:		Date:		

Persons Present								
Print Name:	Signature:	Print Name:	Signature:					

Points Raised / Comments:			
Corrective Action	Action by	A	ction Complete
Conective Action	Action by	Sign off	Date

Corrective Action	Action by	Action Complete		
Corrective Action	Action by	Sign off	Date	

OHSE 014–Workplace inspection checklist

Outlook Projects Australia inspects the work activity(s) and work area, and provide a completed Workplace Inspection Checklist each week to the principal contractor for the duration of the works.

Workplace Inspection					
Workplace	ТВА	Date			
Inspected By		Signature			

Item	Item Correct Yes No n/a	Action Priority 1 2 3	Action By	Close Out By	Close Out Date
Access/Egress Access paths clear Access paths defined (signage tape, other) Prohibited areas display warning signs and barricaded	Yes	1 2 3 1 2 3 1 2 3			
Dust/Air Quality Dust suppressed/watered down Stock piles protected from wind Plant & equipment maintained to minimise emissions	Yes	1 2 3 1 2 3 1 2 3			
Electrical Electrical equipment tested & tagged Register of tagging current Portable generator fitted RCD Portable Residual Current Device (RCD) tested/ tagged	Yes No n/a Yes No n/a Yes No n/a Yes No n/a	1 2 3 1 2 3 1 2 3 1 2 3 1 2 3			
First Aid/Emergency/Injury First aid kit provided Kit stocks refreshed First Aid Officer available Evacuation procedure in place Emergency contacts displayed Fire extinguisher/equipment available	Yes No n/a Yes No n/a	1 2 3 1 1 2 3 1			

Manual Han dia a		1	1	
Manual Handling				
Trolleys/aids in use	Yes No n/a	1 🗌 2 🗌 3 🗌 1 🗌 2 🗌 3 🗌		
SWMS followed	Yes No n/a			
Training/job rotation undertaken	Yes 🗌 No 🗌 n/a	1 🗌 2 🗌 3 🗌		
Hazardous Substances/Dangerous Goods				
Register current	Yes 🗌 No 🗌 n/a	1 🗌 2 🗌 3 🗌		
MSDS available	Yes 🗌 No 🗌 n/a	1 🗌 2 🗌 3 🗌		
SWMS lists precautions for use	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
Storage area bunded	Yes 🗌 No 🗌 n/a	1 🗌 2 🗌 3 🗌		
Refuelling SWMS followed	Yes 🗌 No 🗌 n/a	1 🗌 2 🗌 3 🗌		
Height work				
Perimeter protection	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
Handrails in place	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
Penetrations covered	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
Fall restraint/arrest system in use	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
SWMS followed	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
Housekeeping				
Materials stacked	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
Work area lit	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗍 3 🗍		
Bins available & in use	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗍 3 🗍		
Signage in place	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗍 3 🗍		
Leads suspended	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
Walkway/stairs/work area clear	Yes 🗌 No 🗌 n/a 🗌	1 🗌 2 🗌 3 🗌		
Noise				
Plant & equipment maintained	Yes 🗌 No 🗌 n/a	1 🗌 2 🗌 3 🗌		
Site hours observed	Yes 🗌 No 🗌 n/a			
Noisy works identified	Yes 🗌 No 🗌 n/a	1 2 3 3		
Hearing protection used (SWMS)	Yes 🗌 No 🗍 n/a			
Personal Protective Equipment				
Used when required (SWMS)	Yes 🗌 No 🗌 n/a	1 🗌 2 🗌 3 🗌		
Correctly used by employees				
				1
Plant & Equipment				
Plant register current	Yes 🗌 No 🗌 n/a			
Maintenance records provided	Yes 🗌 No 🗌 n/a			
Daily log book completed	Yes 🗌 No 🗌 n/a			
Operator ticketed/competency verified	Yes No n/a			
SWMS followed	Yes 🗌 No 🗌 n/a	1 🗌 2 🗌 3 🗌		

Public Protection Work area secure from public Overhead protection provided	Yes □ No □ n/a□ Yes □ No □ n/a□	1 2 3 1 2 3		
Stormwater/run off Silt control fences in place Stormwater inlets protected Discharges contained, e.g. pump out, slurry/other	Yes	1 2 3 1 2 3 1 2 3 1 2 3		
Training All employees have: - General industry (safety awareness) training - Site specific induction training - Work activity (SWMS) training	Yes	1 2 3 1 2 3 1 2 3		
Vegetation Fencing around drip line of retained trees No material/equipment stored within drip line	Yes	1 [] 2 [] 3 [] 1 [] 2 [] 3 []		
Waste Management Waste reduction plan in place Waste contractor records available Bins for litter/cigarette butts/other provided Hazardous wastes captured & correct disposal, e.g. paint sludge/ contaminated soil/other	Yes	1 2 3 1 2 3 1 2 3 1 2 3 1 2 3		
Other	Yes No n/a Yes No n/a Yes No n/a Yes No n/a Yes No n/a	1 _ 2 _ 3 _ 1 _ 2 _ 3 _		

All items noted for correction have been rectified				
Name		Signed		
Date		Time		

OHSE 015–Plant and equipment

Outlook Projects Australia carries out regular inspections and maintenance of all plant and equipment.

Outlook Projects Australia ensures plant and equipment is inspected and maintained in accordance with the relevant standard and manufacturer's recommendations.

The inspection and maintenance history of each item is documented.

Certain items of plant and equipment will be 'Item Registered' and or 'Design Registered' by the Regulatory Authority where required by Legislation

Outlook Projects Australia ensures control measures are implemented and documented for all plant and equipment, including its operation, deemed as high risk. The effect of all plant and equipment on the workplace is considered and documented in the Safe Work Method Statement

Pre-start checks, schedule of maintenance and fault reports are notified to the Works Supervisor, documented in plant log books and made available to relevant parties on request.

Where plant and equipment is hired, the same requirements as above apply.

OHSE 016–Plant and equipment register

The following register contains details of all plant and equipment to be used by Outlook Projects Australia during the course of the work activities. Examples include lifting gear, firefighting equipment, mobile plant, fall restraint equipment and other.

Plant Type	Serial No. / Registration No.	Make / Model	Registration with Authority Required? Y/N	Authority Registration Expiry Date (if applicable)	Date last service or maintenance record available	Required Maintenance Frequency	Alteration Details Y / N / NA	Date On Site	Log Book Available
			<u>, </u>						
			<u> </u>						

OHSE 017–Plant and equipment pre-start checklist

Outlook Projects Australia completes the following checklist prior to initial plant operation at the workplace.

ltem	Description	Che	eck
Risk assessment	A checklist should identify general hazards and associated risks relating to the use of the plant & equipment e.g. entanglement, crushing, striking, electrical or other. The checklist should then detail control measures to eliminate or minimise risk.	Yes 🗌	No 🗌
Log Book	A current log book recording daily safety Pre-start checks. These are subject to random inspection.	Yes 🗌	No 🗌
Maintenance Reports	Proof of ongoing maintenance, i.e. maintenance records. The records should note the most recent inspection and who conducted that inspection. It may also describe any repair work carried out on the plant. Most importantly, there should be no outstanding items noted for repairs.	Yes 🗌	No 🗌
Operator's Manual	An operator's manual relevant to the item of plant and which is to be kept with the plant.	Yes 🗌	No 🗌
Operator Certification	Copy of operator's certification or licence to operate the plant. Where no statutory certification is required, evidence of competence by the operator in the use of the plant.	Yes 🗌	No 🗌

Plant Provider					
Name		Signature		Date	

Plant Inspected	
Plant Type/Make	
Serial No.	
Company	

Inspection Verif	ied By			
Name		Signature	Date	

OHSE 018–Plant and equipment regular checklist

The following checklist is completed by Outlook Projects Australia as a general and regular check on plant operation at the workplace.

Plant and Equ	ipment Ch	ecklist				
Service Provide	er name					
Plant type / ma	ke					
Plant No.				Serial No:		
		Description			CI	heck
Risk assessme	nt			Yes 🗌	No 🗌	n/a 🗌
Operator's mar	nual			Yes 🗌	No 🗌	n/a 🗌
Maintenance re	eports			Yes 🗌	No 🗌	n/a 🗌
Log Book				Yes 🗌	No 🗌	n/a 🗌
Competency tio	cket/licence	e of operator		Yes 🗌	No 🗌	n/a 🗌
Fire extinguisher		Yes 🗌	No 🗌	n/a 🗌		
Crack test repo	orts			Yes 🗌	No 🗌	n/a 🗌
Chains tested a	and tagged			Yes 🗌	No 🗌	n/a 🗌
Regulatory Aut	hority plant	t registration		Yes 🗌	No 🗌	n/a 🗌
Flashing light				Yes 🗌	No 🗌	n/a 🗌
Forward/revers	e beeper			Yes 🗌	No 🗌	n/a 🗌
Tested and tag	ged electri	cally		Yes 🗌	No 🗌	n/a 🗌
Seat belt				Yes 🗌	No 🗌	n/a 🗌
Roll over Protection (ROPS)			Yes 🗌	No 🗌	n/a 🗌	
Plant Provider				<u>"</u> "		
Name			Signature		Date	
Inspection Ve	rified By			<u></u>	<u>"</u>	
Name			Signature		Date	

In undertaking regular checks of plant and equiplent, Outlook Projects Australia includes consideration of relevant aspects as follows:

Scissor Lifts / Boom Lifts	Excavators / Backhoes / Bob Cats
 Risk Assessment SWMS Operators Manual Maintenance Reports Log Book Certification/Competency of Operator Safety Booklet Company Name 	 Risk Assessment SWMS Operators Manual Maintenance Reports Log Book Certification/Competency of Operator Fire Extinguisher Seat Belt Flashing Light Forward & Reverse Beeper
Fork Lifts / Manatou's	Cranes
 Risk Assessment SWMS Operators Manual Maintenance Reports Log Book Certification/Competency of Operator Fire Extinguisher Seat Belt Flashing Light Forward & Reverse Beeper 	 Risk Assessment SWMS Operators Manual Maintenance Reports Log Book Certification/Competency of Operator Fire Extinguisher Crack Test Report Regulatory Authority Plant Registration Chains Tested and Tagged
Concrete Pumps	Other
 Risk Assessment SWMS Operators Manual Maintenance Reports Log Book Certification/Competency of Operator Fire Extinguisher Crack Test Report Line thickness Testing Regulatory Authority Plant Registration 	

OHSE 019–Hazardous substances/dangerous goods

Outlook Projects Australia provides a current (within 1 years of the date of issue) MSDS to the principal Contractor for all products and substances to be used for the work activity.

Before a product or substance is used for the work activity, Outlook Projects Australia s reviews the Material Safety Data Sheet (MSDS) to determine if the product or substance is classified as hazardous.

All employees involved in the use of products classified as hazardous, are provided with information and training to allow safe completion of the required task.

As a minimum standard, all safety and environmental precautions for use listed on the MSDS are followed when using the substance and are included in the Safe Work Method Statement.

No products or substances, including chemicals or fibrous materials, are brought to the workplace without a current MSDS.

All products and substances to be brought to the workplace are be documented.

Outlook Projects Australia considers the following when selecting chemicals and substances for use on site:

- Flammability and exclusivity;
- Toxicity (short and long term);
- Carcinogenic classification if relevant;
- Chemical action and instability;
- Corrosive properties;
- Safe use and engineering controls;
- Environmental hazards; and
- Storage requirements.

All storage and use of hazardous substances and dangerous goods is in accordance with the MSDS and legislative requirements.

All hazardous substances and dangerous goods are stored in their original containers with the label intact at all times.

Hazardous substances and dangerous goods of any quantity are not stored in amenities, containers (unless properly constructed for the purpose), sheds or offices.

OHSE 020–Hazardous substances/dangerous good register

The following hazardous substances exist in the work place. A copy of the MSDS has been forwarded to the person responsible for First Aid.

Product Name	Application	Quantity	Product	labelled	MS	DS	Classif	Classified as Hazardous in the MSDS	
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	If YES:
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	The risks and control measures
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	associated with the use of the product/ substance and the precautions
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	for its use are outlined
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	in the Safe Work Method
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	Statement
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌	
			Yes 🗌	No 🗌	Yes 🗌	No 🗌	Yes 🗌	No 🗌)

OHSE 021-Electrical equipment

Outlook Projects Australia ensures that the use of electrical wiring, equipment, portable tools and extension leads is in accordance with applicable codes and standards including AS3012, Electrical Installations – Construction and Demolition Sites and AS3000, Wiring Rules.

Outlook Projects Australia ensures that all electrical equipment brought on site is listed in the Electrical Equipment Register. The register is completed prior to commencement of the works and maintained for the duration of the works on site.

All electrical equipment including leads, portable power tools, junction boxes and earth leakage, or residual current, devices is inspected and tested by a suitably qualified person and labelled with a tag of currency before being used on site.

OHSE 022-Electrical equipment register

Outlook Projects Australia records all electrical equipment brought on site in the Electrical Equipment Register.

Note: Testing and Tagging frequency is as required by State or Territory Legislation, codes and relevant standards.

Electrical Equipme	ent		
Workplace	ТВА	Date	

Equipment Description	Plant / Serial No.	Date of Inspection/ Test	Results and/or trip current (less 30mA) for Earth Leakage Device	Date of next Inspection/Test	Electrician's / qualified person's Signature	License/ Registration No.

Electrical item	Frequency of inspection / test (in accordance with relevant requirements)
Tools & leads or electrical equipment	
Sub-board earth leakage device	

OHSE 023–Hazard reporting

Outlook Projects Australia encourages all employees to report hazards **<u>immediately</u>** to the Works supervisor.

Where the hazard cannot be corrected immediately, Outlook Projects Australia records the details of the hazard in the Hazard Register

Outlook Projects Australia investigates all reported hazards and implements control measures to eliminate and/or minimise the likelihood of an incident or injury.

Outlook Projects Australia identifies a risk class/ranking for all hazards by referring to the categories ranging from high to low in the Risk Matrix. The Risk Matrix is used to determine the level of danger or seriousness (i.e. the consequence) of the risk, how likely it is that this risk will occur (i.e. likelihood/probability) and therefore how detailed control measures will need to be to eliminate or minimise the risk.

Outlook Projects Australia regularly reviews and evaluates the effectiveness of control measures until the hazard is addressed and/or all risks have been mitigated or reduced.

Outlook Projects Australia will issue a copy of any completed Hazard Report form to the principal contractor, as required.

OHSE 024-Hazard report

Where a hazard cannot be immediately corrected, Outlook Projects Australia records the hazard in the Hazard Report.

General			
Date			
Workplace	ТВА		
Submitted By		Signature	
Submitted To		Signature	

Details of Hazard	
Location	
Work Activity	
Hazard identified in relation to the work activity	

Details of Risk				
Risk Class	High (1)	Medium (2)	Low (3)	

Control Measures			
Corrective Action Required			
By Whom			
By Whom	When	Immediate Within 24 hrs Within 7 Days	

Completion			
Corrective Action Completed By		Signature	
Time		Date	
Confirmed By		Signature	

OHSE 025–Injury and incident investigation

INJURIES:

All injuries are reported to the desiganted First Aid Officer in the workplace.

Outlook Projects Australia records all injuries on the Register of Injuries.

Where the injury requires medical attention or off site treatment, Outlook Projects Australia completes an Incident Investigation Report.

Copies of Incident Investigation Reports are provided to the principal contractor, as required.

INCIDENTS:

For all incidents involving near misses, property/plant damage or injury to the public or the environment, Insert Organisation investigates and records the details in an Incident Investigation Report.

Copies of completed Incident Investigation Reports are provided to the principal contractor, as required.

NOTIFIABLE INCIDENTS:

Insert Organisation reports all notifiable incidents to the relevant Authority.

Where such an incident has occurred, Insert Organisation considers whether the site needs to be preserved for investigation by the relevant Authority.

RECORD KEEPING:

Insert Organisation keeps records of incidents and injuies in accordance with Statutory requirements.

OHSE 026–Register of injuries

Outlook Projects Australia records all injuries in the following register.

General							
Workplace Location	ТВА						
Injured Persons Name							
Home Address							
Date of Birth					Ма	ale 🗌	Female
Occupation							
Employers Name							
Employers Address							
Details of Injury							
Date of Injury				Time o	of Injury		am 🗌 pm 🗌
Activity in which the per was engaged at the time injury	son e of						
Exact location where inj occurred	ury						
Nature of injury e.g. frac burn, sprain, foreign boo eye.							
Body location of injury e.g. ear, eye, face, necl							
Details of Treatment		<u>.</u>					
Treatment provided by First Aid Officer	Yes	No	Remarks:				
Follow up treatment required	Yes	Yes No			completed with		
Doctor/ Medical Centre attended							
Date attended			Medical Certific Received	ate	Yes	🗌 No	
Treatment i.e. x-ray, prescription			10		1		
Further consultation required	Yes	No	Injury Managem required	nent	Yes 🗌	No 🗌	If yes, notify the Return-to-Work Coordinator
Name of Witness							
Address of Witness:							
		۸:d					
Name of Person Provid	ng ⊢irst	Ala					

Signature	Date	

OHSE 027–Incident investigation report

Outlook Projects Australia completes an Incident Investigation Report in the event of any injury involving medical attention or off site treatment or in the event of any incidents involving a near miss, property/plant damage or injury to the public or the environment.

The principal contractor will be informed **immediately** in the event of the above. Following discussions with the principal contractor, a decision will be made as to who will conduct the incident investigation. The principal contractor will be provided with a copy of the completed Incident Investigation Report.

Class of Incident		Reported	
🗌 Injury	Property/Plant Damage	Yes 🗌 No 🔲 Details:	
🗌 Near Miss	Environmental	Further Action Required	
☐ Other		Report to Authorities Other:	

Details of Incident		
Date of Incident	Time of Incident	am 🗌 pm 🗌
Witness Name	Witness Contact	
Nature of Incident		
Location of Incident		
Description of Incident		
Details of damage to equipment/property?		

Injured Person/s (if applicable)			
Name			
Address			
Date of Birth			
Occupation		Employer	
Referred/transferred			

Recommended Preventive Action				
Details				

Completed By			
Name		Position	
Signature		Date	

OHSE 028–OHSE management plan checklist

Outlook Projects Australia reviews all OHSE policies and procedures on a 3 monthly to determine the effectiveness of the OHSE Management Plan in addressing OHSE in the workplace.

General	
Project Name	ТВА
Location	ТВА
Auditor	John Lam
Other Attendees	

Activities Reviewed	Conf	orms
Changes and distribution of the OHSE Mgt Plan are recorded	Yes 🗌	No 🗌
Project details / Description of works / Organisation details are current	Yes 🗌	No 🗌
OHSE Policy signed and dated by Director/Manager	Yes 🗌	No 🗌
Hazards are identified and risks are assessed	Yes 🗌	No 🗌
Controls for high risk activities are documented (Safe Work Method Statement(s))	Yes 🗌	No 🗌
Training and Competency Register is current	Yes 🗌	No 🗌
Site Specific Induction Training records are current	Yes 🗌	No 🗌
SWMS Training is current	Yes 🗌	No 🗌
Roles and responsibilities are allocated and signed	Yes 🗌	No 🗌
Consultation arrangements (nature, topics, intervals) are documented	Yes 🗌	No 🗌
Plant / Equipment Register is current	Yes 🗌	No 🗌
Hazardous Substances / Dangerous Goods Register is current	Yes 🗌	No 🗌
Personal Protective Equipment Register is current	Yes 🗌	No 🗌
Periodic Workplace Inspection Checklists are completed	Yes 🗌	No 🗌
Register of Injuries is current	Yes 🗌	No 🗌
Incident Investigation Reports are completed	Yes 🗌	No 🗌
Hazard Reports are completed	Yes 🗌	No 🗌
Electrical Equipment Register is current	Yes 🗌	No 🗌
Injury Management and Return-to-Work Program is displayed	Yes 🗌	No 🗌
Workers Compensation Information is current	Yes 🗌	No 🗌
Other:	Yes 🗌	No 🗌

Items Identified for Co	orrection			
Outstanding Issues ar	nd Recommendati	ions		
			1	
Follow up actions required	Yes 🗌	No 🗌	When	
Completed By				

Completed By			
Name		Position	
Signature		Date	

OHSE 029–Injury management and return-to-work

OUR COMMITMENT:

Outlook Projects Australia is committed to the return to work of injured employees.

As part of this commitment, we will:

- prevent injury and illness by providing a safe and healthy working environment;
- participate in the development of an injury management plan and ensure that injury management commences as soon as possible after an employee is injured;
- support the injured employee and ensure that early return to work is a normal expectation;
- provide suitable duties for an injured employee as soon as possible;
- ensure that our injured employees (and anyone representing them) are aware of their rights and responsibilities – including the right to choose their own doctor and rehabilitation provider, and the responsibility to provide accurate information about the injury and its cause);
- consult with our employees and, where applicable, unions to ensure that the return-to-work program operates as smoothly as possible;
- maintain the confidentiality of injured employee's records.
- not dismiss an employee as a result of a work related injury within six months of becoming unfit for employment.

To support the above, Outlook Projects Australia has established the following procedures.

NOTIFICATION OF INJURIES:

- All injuries must be notified to the supervisor as soon as possible.
- All injuries will be recorded in the Register of Injuries.
- Our Workers Compensation Scheme Agent will be notified of any injuries that may require compensation within 48 hours.

RECOVERY:

- All injured employees will receive appropriate first aid or medical treatment as soon as possible.
- The injured employee must nominate a treating doctor who will be responsible for the medical management of the injury and assist in planning return to work.

RETURN TO WORK:

- A suitable person will be arranged to explain the return to work process to the injured employee.
- The injured employee will be offered the assistance of a WorkCover-accredited rehabilitation provider if it becomes evident that they are not likely to resume their pre-injury duties, or cannot do so without changes to the workplace or work practices.

SUITABLE DUTIES:

• An individual return to work plan will be developed when the injured employee, according to medical advice, is capable of returning to work.

- The injured employee will be provided with suitable duties that are consistent with medical advice and are meaningful, productive and appropriate to the injured employee's physical and psychological condition.
- Depending on the individual circumstances of the injured employee, suitable duties may be at the same workplace or a different workplace, the same job with different hours or modified duties, a different job and may involve full-time or part-time hours.

DISPUTE RESOLUTION:

- If disagreements about the return to work program or suitable duties arise, the organisation will work with the injured employee and any union representing them to try to resolve the issue.
- If all parties are unable to resolve the dispute, the organization will seek to involve the Scheme Agent, an accredited rehabilitation provider, the treating doctor or an injury management consultant.

CONTACTS:

Outlook Projects Australia workplace contact for the return-to-work is:

Name	Organisation	Contact Details	
John Lam	Outlook Projects Australia	0419017374	

Outlook Projects Australia preferred Work Cover-accredited rehabilitation providers are:

Name	Organisation	Contact Details	
Eastbrooke Medical centres	Eastbrooke Centres	02 8834 8400	
Eastbrooke Medical Centres	Optimum Physiologist	02 8752071	

Outlook Projects Australia workers' compensation Scheme Agent is:

Name	Organisation	Contact Details	
Work Cover	BIZ019237BUS	1300 616 494	

OHSE 030–Visitor Register

All Toolbox / Pre-start Talks undertaken on behalf of *Outlook Projects Australia* are recorded on this form and signed by participants.

All corrective actions noted on this form are implemented and signed by the nominated person. It is the responsibility of the Works Supervisor to ensure that all corrective actions are completed and reviewed for effectiveness.

Visitor / Pre-start Talks				
Workplace:	ТВА			
Subject of Talk:	Work safe entry to construction site			
Presented by:	John Lam			
Email	info@outlookprojects.com.au	Mobile	0419017374	

Visitor Present				
Print Name:	Time	Date	Signature in	Signature out